

Code: AWO-802C

TELECOMMUNICATION ENCLOSURE **AWO-802C**

Net: **48.06 EUR** Gross: **48.06 EUR**

The residential telecommunication enclosures allow the integration of the elements of computer network,, telephone network, television network (RTV, SAT), fiber-optic network and other telecommunication installations in public buildings and collective residential buildings.



SPECIFICATION

Material:	Steel - powder painted
Plate thickness:	1 mm
Color:	White
Tamper protection:	—
Key closed:	—
Mounting options:	• 8 pcs KEYSTONE : RJ-45 BNC • 6 pcs Coupler F socket / F socket • 2 pcs Fiber-optic adapter Simplex - SC • 1 pcs Fiber-optic adapter Duplex - SC
Main features:	• "Click"-type closing • Corrosion resistance • Flush-mounted • Front door can be installed as left side or right side one • Removable mounting plate PVC 245 x 205 mm • Grounding
Housing external dimensions:	295 x 345 x 92 mm
Internal dimensions:	290 x 340 x 80 mm
Flange dimensions:	330 x 380 mm
Weight:	3.39 kg
Manufacturer / Brand:	PULSAR
Guarantee:	2 years

PRESENTATION

Front view:



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60



Internal view:





Side view:




Rear view:



Example of application:



Internal dimensions:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------

