

Code: CA-5-PLUS-SET

ALARM KIT **CA-5-PLUS-SET** SATEL

Net: **166.87 EUR** Gross: **166.87 EUR**

The CA-5-PLUS-SET alarm set is ideal solution for those looking for a simple and reliable system with enhanced communication functions to protect small objects, such as houses, kiosks, boutiques and service points.



SPECIFICATION


Mainboard inputs:	5 pcs
Mainboard outputs:	3 pcs
Maximal number of supported inputs:	5 pcs
Maximal number of supported outputs:	3 pcs
Current-carrying capacity, low-current programmable outputs:	50 mA
Current-carrying capacity, high-current programmable outputs (+/-10%):	1.1 A - 1 pcs
Maximal load:	1.2 A
Users + admins:	5 + 1
Partitions:	—
Zones:	—
Expansion modules:	—
Events memory:	255
Timers:	—
Supported keypads:	max. 3 pcs
Supporting the wireless ABAX system via bus:	—
Keyboard included:	1 pcs CA-5-KLCD-S
Modules in the set:	GPRS-T1 Plus module

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

PIR detectors included:	—
Expander included :	—
Enclosure included:	OPU-4-P
Protection class (Grade):	2
Power supply:	18 V AC
Main features:	• Monitoring GPRS, SMS • Events messaging via SMS • Remote control of the control panel via SMS • Remote control of the system state via mobile phone
Operation temp:	-10 °C ... 55 °C
Permissible relative humidity:	93 %
Dimensions:	• 148 x 70 mm - PCB • 115 x 95 x 22 mm - LCD - CA-5-KLCD-S keyboard • 265 x 283 x 100 mm - Housing
Weight:	1.43 kg (total)
Supported languages:	Polish
Manufacturer / Brand:	SATEL
Guarantee:	2 years

PRESENTATION


Control panel mainboard:




The keypad with LCD included in the kit:



Internal view:



GPRS-T1 Plus module:



The kit includes an enclosure designed for mounting the panel module, as well as separately available battery (7Ah - 12V/7.2AH-MW) and transformer:



Internal view of the housing:



In the kit:



