

Code: PRT64MF-G

PROXIMITY READER WITH KEYPAD **PRT64MF-G** ROGER


Net: **596.64 DKK** Gross: **596.64 DKK**

Outdoor proximity cards and key-fobs reader. 13.56 MHz S50 standard.




SPECIFICATION


Cards support:	13.56 MHz S50
Reading distance of prox-keys:	max. 6 cm
Keyboard built-in:	✓
Autonomous operation:	✓
Doorbell button:	—
Tamper output:	✓
Communication:	• Wiegand 26-66bit • Magstripe (Clock & Data) • RACS (Roger) and others
Main features:	• Tamper protection (detection of removing from mounting surface and enclosure opening) • LED indication • Beep signal • Different options of PIN codes and keyboard codes transmission • Manual or computer programming • Can be used for 13.56 MHz S50 card programming (free of charge RARC software is required) • 120 indexed users • History of 1024 events • Programmable relay output 1.5A/30V • Two transistor outputs • Two inputs NO/NC
Power supply:	10 ... 15 V DC
Average current consumption:	85 mA



Dimensions:



In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------



DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60