

Code: DS-K1102EK

PROXIMITY READER **DS-K1102EK** Hikvision

Net: **70.75 EUR** Gross: **70.75 EUR**

Outdoor proximity cards and key-fobs reader.



SPECIFICATION

Cards support:	Unique EM 125kHz
Reading distance of prox-keys:	max. 5 cm
Autonomous operation:	—
Keyboard built-in:	✓
Doorbell button:	—
Communication:	RS-485, Wiegand 34/26
Tamper output:	✓
Power supply:	12 V DC
Maximal current consumption:	500 mA
Main features:	• Blue backlight of the keys • Watchdog built-in • LED indication • Buzzer • Device address switch • Installation in dedicated flush-mounted boxes DS-KAB86, DS-KAB118
Operation temp:	-20 °C ... 65 °C
Permissible relative humidity:	10 ... 90 % (non-condensing)
"Index of Protection":	IP64
Housing:	Plastic, Waterproof
Color:	Silver / Black

DELTA-OPTI Monika Matysiak; <https://www.delta.poznan.pl>
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60


Weight:	0.24 kg
Dimensions:	121 x 87 x 14 mm
Manufacturer / Brand:	Hikvision
SAP Code:	302900825
Guarantee:	3 years

PRESENTATION


Front panel view:




Mounting side view:



On the body, under the cover there are placed configuration switches:



Connectors:



Connectors description:

WIRE COLOR	SIGNAL
ORANGE	ERR
WHITE	W1
GREEN	W0
BLUE	485B
YELLOW	485A
RED	12V
BLACK	GND
GREY	TAMPER
PURPLE	BEEP
BROWN	OK

In the kit:



PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg
----------------------------------	--------------------