

Code: DH-ITC217-PW1B-IRLZ1

## IP CAMERA ANPR **DH-ITC217-PW1B-IRLZ1** 0 - 1080p 4.7 ... 47 mm - MOTOZOOM DAHUA

The IP ANPR (Automatic Number Plate Recognition) Camera is designed for auto recognition of the vehicle number plates.

The used motozoom lens with 4.7 ... 47 mm focal length allows to remote view angle adjustment.

PoE powering possibility, compatible with the 802.3af standard makes the device more universal and easier to install.



Standard:	TCP/IP
Sensor:	1/2.7 " Progressive Scan CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	4.7 ... 47 mm - Motozoom
View angle:	71 ° ... 6.5 °
Range of IR illumination:	40 m
S/N ratio:	> 50 dB (AGC off)
Compression:	H.264 / MJPEG
Main stream frame rate:	25 fps - 1080p
Network interface:	10/100 Base-T (RJ-45)
Network protocols:	IPv4/IPv6, HTTP, TCP/IP, NTP, DHCP,
WEB Server:	Built-in, NVR compliance
Max. number of on-line users:	20
ONVIF:	—
Alarm inputs / outputs:	2 / 1
Audio:	<ul style="list-style-type: none"> <li>• External microphone input</li> <li>• Audio output</li> <li>• Bi-directional audio streaming support</li> </ul>
RS-485 interface:	—

Mobile phones support:	—
Main features:	<ul style="list-style-type: none"> <li>• Max. speed of a moving vehicle : 40 km/h</li> <li>• Image analysis : License plate recognition, Gate opening, White list - embedded, Loop detection</li> <li>• Motozoom lens - Control from a Web browser</li> <li>• ICR - Movable InfraRed filter</li> <li>• Day/Night mode (color/b&amp;w/auto)</li> </ul>
Power supply:	<ul style="list-style-type: none"> <li>• PoE (802.3af),</li> <li>• 12 V DC / 1080 mA</li> </ul>
Power consumption:	≤ 13 W
Housing:	Compact, Metal / Plastic
Color:	White
"Index of Protection":	IP67
Operation temp:	-30 °C ... 60 °C
Weight:	1.60 kg (without bracket)
Dimensions:	297 x 124 x 108 mm (without bracket)
Supported languages:	English
Manufacturer / Brand:	DAHUA
Guarantee:	<b>3 years</b>

