

Code: S5500-48GT4XF

INDUSTRIAL SWITCH **S5500-48GT4XF** 48-PORT SFP DAHUA

The S5500-48GT4XF switch is designed for large streams of video data in the CCTV IP surveillance networks. Designed to continuous operation 24/7.



LAN ports:	48 x RJ45 - 10/100/1000 Base-T
Transmission speed:	<ul style="list-style-type: none"> • 10 / 100 / 1000 Mbps - 48 LAN ports, • 1000 Mbps - 4 SFP ports
Management:	✓
MAC addresses table:	16k
Main features:	<ul style="list-style-type: none"> • Switch is managed via a web browser, command line interface and SNMP, RMON protocols • QoS/DSCP priority based on IEEE 802.1p standard • Queue scheduling: SP, WRR, SP+WRR • Port/flow-based rate limiting • IEEE 802.1Q VLAN, Port Based VLAN, MAC Based VLAN, Private VLAN support • IEEE 802.1Q standard support, up to 512 VLAN groups and 4K VIDs • IGMP Snooping V1/V2/V3 • IRF2 - technology allowing virtual connection of several physical devices into one logical device and managing it as a single device ; The system based on the IRF technology also allows to build a system of many parallel connected devices, which translates into increased system performance, greater resistance to failures, the ability to connect redundant devices in the 1:N system with the possibility of replacing any device at any time without affecting the operation of the entire system (Hot Swap), • Support ARP Spoofing defence • BPDU Filtering/Guard • Data Flow Control (802.3x) • protection against lightning discharges and voltage differences and strokes between devices
Certificates:	CE, RoHS
Power supply:	230 V AC
Power consumption:	≤ 45 W
Operation temp:	0 °C ... 45 °C
Weight:	3.69 kg
Dimensions:	440 x 260 x 44 mm



DATA SHEET

Manufacturer / Brand:	DAHUA
Guarantee:	3 years