

Code: CD-92B8

## CARBON MONOXIDE (CO) DETECTOR **CD-92B8** EURA / EL HOME

The CD-92B8 microprocessor-based digital gas detectors are characterized by reliability and low current consumption. A digital temperature compensation feature allows to operate within a wide temperature range.

Gas concentration above the threshold level triggers visual and audible alarm signals. Device should be mounted at a height of about 0.7 ... 1.8 m above the floor.



Detection:	Carbon Monoxide (CO)
Alarm signaling:	<ul style="list-style-type: none"> <li>• Buzzer</li> <li>• Blinking LED</li> </ul>
Gas concentration to trigger alarm:	<ul style="list-style-type: none"> <li>• 300 ppm for max. 3 mins</li> <li>• 100 ppm for 10 ... 40 minutes</li> <li>• 50 ppm for 60 ... 90 minutes</li> <li>• 30 ppm for &gt;120 minutes</li> </ul>
Battery power supply:	2 x battery LR3 (AAA) (included) Current consumption < 20 $\mu$ A - Standby
Main features:	<ul style="list-style-type: none"> <li>• Alarm signaling &gt; 30 ppm</li> <li>• Alarm memory</li> <li>• LCD display</li> <li>• Alarm siren &gt; 85 dB/m</li> <li>• Test mode</li> <li>• Silent mode</li> <li>• Low battery level alarm</li> <li>• Failure signaling</li> <li>• Detector lifetime : 10 years</li> </ul>
Operation temp:	0 °C ... 40 °C
Weight:	0.08 kg (without battery)



# DATA SHEET

---

Dimensions:	Ø 98 x 25 mm
Manufacturer / Brand:	EURA / EL HOME
Guarantee:	<b>3 years</b>

