

Code: AD-SL-6467BLR4

SOLAR LED FLOODLIGHT WITH MOTION SENSOR **AD-SL-6467BLR4**

Illuminator can be used indoors and outdoors. Incomparably greater lifetime of the LEDs compared to traditional halogen bulb provides cheap and reliable operation.

The LED floodlight is equipped with a polycrystalline solar panel, which is used to charge the built-in lithium-ion battery. The automatic lighting system prevents the floodlight from being turned on in daylight. The PIR detector allows you to automatically switch on full lighting only when motion is detected.

The illuminator, solar panel and motion detector are movable, so you can adjust them to your needs. Using the included cable, the solar panel can be separated and moved up to 2 meters away from the illuminator.

The use of multiple LED SMDs provides a better heat dissipation, and the longer lifetime of the reflector and allows for uniform light output.



| | |
|------------------------|---|
| Luminous flux: | 1200 lm |
| Light color: | Neutral, 4000 K |
| Twilight switch: | ✓ |
| Power supply: | 3.7 V DC - 3000 mAh Li-Ion battery |
| Nominal power: | 10 W |
| CRI: | 80 |
| Main features: | <ul style="list-style-type: none"> • LED lifetime : 25 000 h • Solar Panel • Connecting cable 2m • PIR detector - Built-in, Detection angle : 120 °, Detection range ≤ 8 m • 2 Operation modes • Motion sensor control • Solid workmanship • IK rating : IK06 |
| Housing: | PC |
| "Index of Protection": | IP54 |
| Operation temp: | 0 °C ... 45 °C |



DATA SHEET

| | |
|-------------|--------------------|
| Weight: | 0.74 kg |
| Dimensions: | 300 x 190 x 160 mm |
| Guarantee: | 3 years |