Warning!

Please read the user manual included in this work as it contains important information related with safety of installation and use of the device.

Only persons who read the user manual may use the device.

The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual.

The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order.

If the product has defects, it should not be used until it is repaired.

The product is intended for use at home and commercial use and may not be used for other than intended use.

The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device.

The manufacturer and the supplier are not liable for losses or damages arising out of the product, including financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products related with it - indirect, incidental or consequential loss or damage. The above provisions apply whether the loss or damage concerns:

1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity;

2. Improper results of operation of the product or products related with it;

3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

Safety measures:

Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor.

The device must be secured against contact with caustic, staining and viscous fluids.

The LIC-VISO-BASE-ST license for the VISO ST management software for the RACS 5 system. Base version.

VISO ST software is a Windows application for configuration and management of RACS 5 ST access control and building automation system. The standard version (RACS 5 ST) managed by VISO ST software offers both typically expected access control features and advanced functionalities beyond the popular access control. RACS 5 ST is dedicated to medium and big installations, also distributed ones, where subsystems are connected to a central system in a wide area network (WAN).

Attention! The base licence (VISO BASE ST) supports up to 32 doors and 1000 users. The base license can be extended by purchasing licenses for individual functionalities. VISO BASE ST can handle a maximum of 128 doors. Base version license activation requires the License Key.

License:	VISO-BASE-ST
Number of served transitions:	32 (max. 128)
Number of users:	1000
Operator:	1 (max. 3)
Communication service:	1 (max. 3)
Objects on maps:	250
Main features:	• MSSQL database • work in distributed systems • multi-station work • encrypted communication with system devices and servers • Possibility to define operator accounts for management of particular groups of employees • operators actions recorded in log • user groups, persons, visitors, and assets management • monitoring of user and asset relocations • user time attendance reporting for freely configurable system areas • current system operation monitoring • visualization of security systems from the map level • monitoring of selected access doors including automatic display of associated video stream • hotel services signalization monitoring • event reporting for external Time&Attendance systems • configurable Time&Attendance modes • monitoring and control of external objects by means of logical automation nodes • configurable event types for selected logical automation nodes • Remote control and management • remote access authorization by system operators • automatic system reactions for selected events • defining and transmitting NFC, BLE mobile IDs • alert monitoring by system operators • alerts reported by data transmission • alerts reported by emails • integration with CCTV, IDS systems of selected manufacturers • integration with the RKDS key circulation monitoring system • support for ONVIF cameras • operation with administrator reader • Cooperation with POS (Point of Sale) terminals • support for assets renting and monitoring • configurable asset renting authorizations • designing and printing templates on proximity cards • wizards for quick system configuration • wizards for user and visitor enrolment and management
Supported operating systems:	Windows
Supported languages:	English, Polish
Manufacturer / Brand:	ROGER

PACKAGE

Dimensions (L x W x H): 0x0x0 mm	Gross Weight: 0 kg

DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl
POL; 60-713 Poznań; Graniczna 10
e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60