

Warning!

Please read the user manual included in this work as it contains important information related with safety of installation and use of the device.

Only persons who read the user manual may use the device.

The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual.

The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order. If the product has defects, it should not be used until it is repaired.

The product is intended for use at home and commercial use and may not be used for other than intended use.

The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device.

The manufacturer and the supplier are not liable for losses or damages arising out of the product, including financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products related with it - indirect, incidental or consequential loss or damage. The above provisions apply whether the loss or damage concerns:

1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity; 2. Improper results of operation of the product or products related with it;

3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

Safety measures:

Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor.

The device must be secured against contact with caustic, staining and viscous fluids.

The device was designed in such a way that it restarts operation when power supply is restored after a break.

Attention! We recommend using protections to further protect the device from possible overvoltages in installations. Surge protectors are effective protection against accidental pass to the device voltages higher than the rated. Damages caused by pass the voltages higher than specified in manual, are not under warranty.

Turn off the device before transporting it.

Prior to connecting the device to a power source check whether the supplied voltage is consistent with rated voltage specified in the user manual.

Proper product disposal:

A marking of a crossed out waste bin indicates that the product may not be disposed together with other household waste in the entire EU. To avoid possible damage to the natural environment of health due to uncontrolled waste disposal, therefore, it should be handed over for recycling, propagating in this way sustainable use of natural resources.

To return a worn-out product, use a collection and disposal system of this type of equipment or contact a seller from whom it was purchased. He will then be recycled in an environmentally-friendly way.





User Manual Code: IPC-S42FP PTZ OUTDOOR IP CAMERA IPC-S42FP Wi-Fi CRUISER - 4 Mpx 3.6 mm IMOU



The cameras of the IMOU series have been designed with special care to simplify the configuration and operation. In combination with the user friendly IMOU platform, the IMOU series devices allow anyone to create a simple and effective surveillance system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The used Wi-Fi module allows to remote communication with camera for max. distance up to 120 m. Camera is according to IP66 Index of Protection norm.

In addition, the camera has the function of active deterrence of intruders using a motionactivated white light LED spotlight and siren sound.

Attention! The IMOU series devices do not have a WEB interface. In order to obtain optimal performance of IMOU series cameras, it is recommended to use DAHUA Micro SD memory cards.

Standard:	TCP/IP
Sensor:	1/2.7 " Progressive Scan CMOS
Matrix size:	4 Mpx
Resolution:	2560 x 1440 - 4 Mpx
Lens:	3.6 mm
View angle:	88 °
Range of IR illumination:	30 m
Horizontal rotation range:	355 °
Vertical rotation range:	0 ° 90 °
Audio:	 Microphone built-in, Speaker built-in, Alarm siren 110 dB Audio transmission via network Bi-directional audio streaming support
Image compression method:	H.265 / H.264
Main stream frame rate:	25 fps @ 4 Mpx
Network protocols:	TCP, DHCP



DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl POL; 60-713 Poznań; Graniczna 10 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

IPC-S42FP



User Manual Code: IPC-S42FP PTZ OUTDOOR IP CAMERA IPC-S42FP Wi-Fi CRUISER - 4 Mpx 3.6 mm IMOU

Network interface:	Ethernet : 100 MbpsWi-Fi IEEE 802.11 b/g/n
WEB Server:	
Mobile phones support:	Access by a cloud (P2P) • Android: Free application <u>IMOU</u> • iOS (iPhone): Free application <u>IMOU</u>
Default admin user / password:	admin / - The administrator password should be set at the first start
Default IP address:	DHCP
Web browser access ports:	-
PC client access ports:	-
Mobile client access ports:	-
Port ONVIF:	-
RTSP URL:	-
Memory card slot:	Micro SD memory cards up to 256GB support (possible local recording)
Main features:	 Wi-Fi module - IEEE 802.11 b/g/n, Range : 120 m (open area) Motion Detection People detection Intelligent Object Tracking Alarm notifications - Sending instant motion-activated alerts to mobile phone D-ZOOM - Digital Zoom : 16x Full Color - colorful night mode Built-in alarm siren LED Floodlight Light and sound alarm Active deterrence function IMOU Cloud RESET button
Power supply:	12 V DC / 1 A (power adapter included)
Power consumption:	< 5.32 W
"Index of Protection":	IP66
Weight:	0.57 kg
Dimensions:	Ø 114 x 145 mm (Camera) 138 x 122 x 258 mm (with bracket), (with antennas)
Supported languages:	_
Manufacturer / Brand:	DAHUA / IMOU
Guarantee:	2 years

Front view:







RESET button:



Memory card slot:



DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl POL; 60-713 Poznań; Graniczna 10 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

2024-04-25

IPC-S42FP





Rear view:



Mounting side view:



DELTA-OPTI Monika Matysiak; https://www.delta.poznan.pl POL; 60-713 Poznań; Graniczna 10 e-mail: delta-opti@delta.poznan.pl; tel: +(48) 61 864 69 60

2024-04-25

IPC-S42FP





Camera connectors:



In the kit:







PACKAGE

Dimensions (L x W x H): 0x0x0 mm Gross Weight: 0 kg

