

Code: APTI-W22H1-TUYA
IP CAMERA APTI-W22H1-TUYA Wi-Fi - 1080p 3.6 mm

Warning!

Please read the user manual included in this work as it contains important information related with safety of installation and use of the device.

Only persons who read the user manual may use the device.

The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual.

The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order. If the product has defects, it should not be used until it is repaired.

The product is intended for use at home and commercial use and may not be used for other than intended use.

The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device.

The manufacturer and the supplier are not liable for losses or damages arising out of the product, including financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products related with it - indirect, incidental or consequential loss or damage. The above provisions apply whether the loss or damage concerns:

- 1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity;
- 2. Improper results of operation of the product or products related with it;
- 3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

Safety measures:

Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor.

The device must be secured against contact with caustic, staining and viscous fluids.

The device was designed in such a way that it restarts operation when power supply is restored after a break.

Attention! We recommend using protections to further protect the device from possible overvoltages in installations. Surge protectors are effective protection against accidental pass to the device voltages higher than the rated. Damages caused by pass the voltages higher than specified in manual, are not under warranty.

Turn off the device before transporting it.

Prior to connecting the device to a power source check whether the supplied voltage is consistent with rated voltage specified in the user manual.

Proper product disposal:

A marking of a crossed out waste bin indicates that the product may not be disposed together with other household waste in the entire EU. To avoid possible damage to the natural environment of health due to uncontrolled waste disposal, therefore, it should be handed over for recycling, propagating in this way sustainable use of natural resources.

To return a worn-out product, use a collection and disposal system of this type of equipment or contact a seller from whom it was purchased. He will then be recycled in an environmentally-friendly way.



Code: APTI-W22H1-TUYA IP CAMERA **APTI-W22H1-TUYA** Wi-Fi - 1080p 3.6 mm

The cameras cooperating with the user-friendly Tuya platform have been designed with special care to simplify the configuration process and enable the user to create a simple and effective monitoring system.

Very easy operation via mobile devices (Android / iOS), allows the users for comfortable and remote operation, and also management of the camera. The Wi-Fi module used in the device allows the device to operate also in places with limited wiring possibilities.

Attention! Camera for indoor use only. Devices cooperating with the Tuya platform do not have a WEB interface. The camera works only with the mobile application (the camera does not work with recorders). Controlling the device and schedule settings is possible if the device has access to the Internet.



Standard:	TCP/IP
Sensor:	1/4 " CMOS
Matrix size:	2.1 Mpx
Resolution:	1920 x 1080 - 1080p
Lens:	3.6 mm
View angle:	• 62 ° (manufacturer data) • 76 ° (our tests result)
Range of IR illumination:	10 m
Audio:	Microphone built-in, Speaker built-in, Audio transmission via network, Bi-directional audio streaming support
Image compression method:	H.264+
Network protocols:	TCP/IP, UDP, HTTP, SMTP, DHCP, DDNS, UPnP, NTP, RTSP, ONVIF
Network interface:	Wi-Fi - IEEE 802.11 b/g/n
ONVIF:	✓
WEB Server:	_





Code: APTI-W22H1-TUYA IP CAMERA **APTI-W22H1-TUYA** Wi-Fi - 1080p 3.6 mm

Mobile phones support: Access by a cloud (P2P) in En Truya Smart free application on Android 1. The Truya Smart free application on iOS Default IP address: DHCP Web browser access ports: PC client access ports: Mobile client access ports: Port ONVIF: RTSP URL: Memory card slot: Micro SD memory cards up to 128GB support (possible local recording) Wi-Fi module - IEEE 802.11 b/g/n, by adjunkt mode 1. CRR - Movable InfraRed filter with proposal propo			
PC client access ports: PC client access ports: POT Client access ports: POT ONVIF: POT ON WITCH MICHORITY POT	Mobile phones support:	The <u>Tuya Smart</u> free application on Android	
Port ONVIF: Power Onsumption: Power Consumption: Power Consumption: Power Onsumption: Power Onview Plastic Port ONVIF: Port ONVIF: Port ONVIF: Power Onsumption: P	Default IP address:	DHCP	
Port ONVIF: Port ONVIF: Port ONVIF: Port ONVIF: Port ONVIF: Port ONVIF: Possible local recording) Wis-Fi module - IEEE 802.11 b/g/n, - Dayhight mode - ICR - Movable InfraRed filter - Mirror - Mirror image - Motion Detection, - Sound signaling, - Video PUSH personal messaging - Access by a cloud (P2P) - mirror USB socket - RESET button Power consumption: max. 10 W Housing: Plastic "Index of Protection": Possible local recording) ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror USB socket - RESET button ### Access by a cloud (P2P) - mirror UsB socket - RESET button ### Access by a cloud (P2P) - Motion Detection, - Sound signaling, - Video PUSH personal messaging - Access by a cloud (P2P) - Motion Display (P2P) - Motio	Web browser access ports:	-	
Port ONVIF: RTSP URL: Memory card slot: Micro SD memory cards up to 128GB support (possible local recording) **Wi-Fi module - IEEE 802.11 b/g/n, - Day/night mode - ICR - Movable InfraRed filter - Mirror - Mirror image - Motion Detection, - Sound signaling, - Video PUSH personal messaging - Access by a cloud (P2P) - micro USB socket - RESET button Power consumption: max. 10 W Housing: Plastic "Index of Protection": — Weight: 0.04 kg - 65 x 58 x 35 mm - 1 m (cable length) Operation temp: 10 °C 55 °C Supported languages: English Manufacturer / Brand: APTI	PC client access ports:	-	
Memory card slot: Micro SD memory cards up to 128GB support (possible local recording) Wi-Fi module - IEEE 802.11 b/g/n,	Mobile client access ports:	-	
Memory card slot: Micro SD memory cards up to 128GB support (possible local recording) Wi-Fi module - IEEE 802.11 b/g/n,	Port ONVIF:	-	
Wi-Fi module - IEEE 802.11 b/g/n, Day/night mode - ICR - Movable InfraRed filter - Mirror - Mirror image - Motion Detection, - Sound signaling, - Video PUSH personal messaging - Access by a cloud (P2P) - micro USB socket - RESET button Power consumption: max. 10 W Housing: Plastic "Index of Protection": Weight: 0.04 kg Dimensions: - 65 x 58 x 35 mm - 1 m (cable length) Operation temp: - 10 °C 55 °C Supported languages: English Manufacturer / Brand: P Wi-Fi module - IEEE 802.11 b/g/n, - Day/night mode - ICR - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Movable InfraRed filter - Mirror - Mirror image - Motion Detection, - Sound signaling - Access by a cloud (P2P) - micro USB socket - RESET button	RTSP URL:	-	
Day/light mode ICR - Movable InfraRed filter Mirror - Mirror image Motion Detection, Sound signaling, Video PUSH personal messaging Access by a cloud (P2P) micro USB socket RESET button Power supply: - 5 V DC / 1.5 A (power adapter included) or USB Power consumption: max. 10 W Housing: Plastic "Index of Protection": — Weight: 0.04 kg Dimensions: - 65 x 58 x 35 mm - 1 m (cable length) Operation temp: - 10 °C 55 °C Supported languages: English Manufacturer / Brand: APTI	Memory card slot:	Micro SD memory cards up to 128GB support (possible local recording)	
Power consumption: max. 10 W Housing: Plastic "Index of Protection": — Weight: 0.04 kg Dimensions: 0.65 x 58 x 35 mm 1 m (cable length) Operation temp: -10 °C 55 °C Supported languages: English Manufacturer / Brand: APTI	Main features:	 Day/night mode ICR - Movable InfraRed filter Mirror - Mirror image Motion Detection, Sound signaling, Video PUSH personal messaging Access by a cloud (P2P) micro USB socket 	
Housing: "Index of Protection": Weight: 0.04 kg Dimensions: -65 x 58 x 35 mm -1 m (cable length) Operation temp: -10 °C 55 °C Supported languages: English Manufacturer / Brand: APTI	Power supply:	• 5 V DC / 1.5 A (power adapter included) or USB	
"Index of Protection": Weight: 0.04 kg 0.04 kg Dimensions: 1 of 5 x 58 x 35 mm 1 m (cable length) Operation temp: -10 °C 55 °C Supported languages: English Manufacturer / Brand: APTI	Power consumption:	max. 10 W	
Weight: 0.04 kg Dimensions: •65 x 58 x 35 mm •1 m (cable length) Operation temp: -10 °C 55 °C Supported languages: English Manufacturer / Brand: APTI	Housing:	Plastic	
Dimensions: • 65 x 58 x 35 mm • 1 m (cable length) Operation temp: -10 °C 55 °C Supported languages: English Manufacturer / Brand: APTI	"Index of Protection":	-	
Operation temp: -10 °C 55 °C Supported languages: English Manufacturer / Brand: APTI	Weight:	0.04 kg	
Supported languages: English Manufacturer / Brand: APTI	Dimensions:		
Manufacturer / Brand: APTI	Operation temp:	-10 °C 55 °C	
	Supported languages:	English	
Guarantee: 2 years	Manufacturer / Brand:	APTI	
	Guarantee:	2 years	

Small dimensions camera:



User Manual
Code: APTI-W22H1-TUYA
IP CAMERA APTI-W22H1-TUYA Wi-Fi - 1080p 3.6 mm



Front view:



Rear view:



User Manual Code: APTI-W22H1-TUYA IP CAMERA **APTI-W22H1-TUYA** Wi-Fi - 1080p 3.6 mm



Bottom view (power socket):



Memory card slot:



User Manual
Code: APTI-W22H1-TUYA
IP CAMERA APTI-W22H1-TUYA Wi-Fi - 1080p 3.6 mm




In the kit:



Sample interface screenshot:



Code: APTI-W22H1-TUYA
IP CAMERA APTI-W22H1-TUYA Wi-Fi - 1080p 3.6 mm



Screenshot	Speak	Record
Photo album	Cloud storage	Odtwarzanie
<u>:Ö</u> :		

PACKAGE

Dimensions (L x W x H): 0x0x0 mm

Gross Weight: 0 kg