

Code: RCPM4-WEB-50 SOFTWARE RCPM4-WEB-50 ROGER

### Warning!

Please read the user manual included in this work as it contains important information related with safety of installation and use of the device.

Only persons who read the user manual may use the device.

The user manual must be kept because it may be required in the future. The device is to be used exclusively for purposes specified in this user manual.

The device must be unpacked prior to starting-up. After removing the packaging make sure the device is in working order. If the product has defects, it should not be used until it is repaired.

The product is intended for use at home and commercial use and may not be used for other than intended use.

The manufacturer is not liable for damages resulting from not adhering to the rules contained in the user manual, therefore, we recommend to follow the aforementioned safety rules for operation and maintenance of the device. In this way you will ensure yourself safety and avoid causing damage to the device.

The manufacturer and the supplier are not liable for losses or damages arising out of the product, including financial or intangible losses, loss of profits, income, data, pleasure from use of the product or other products related with it - indirect, incidental or consequential loss or damage. The above provisions apply whether the loss or damage concerns:

- 1. Deterioration of quality or the lack of operation of the products or products related with it due to damage as well as the lack of access to the product when it is undergoing repair, which results in stoppage the loss of user's time or a break in business activity;
- 2. Improper results of operation of the product or products related with it;
- 3. It applies to losses and damages according to any legal category, including negligence and other losses, termination of a contract, expressed or implied guarantee and strict liability (even if the manufacturer or the supplier was notified about the possibility of occurrence of such damages).

#### Safety measures:

Particular attention at designing was directed to quality standards of the device where ensuring safety of operation is the most important factor.

The device must be secured against contact with caustic, staining and viscous fluids.

RCP Master 4 Web is an additional module for the RCP Master 4 system, which enables employees to access selected functions of the RCP system via a web browser. The RCPM4-WEB-50 version is a license for the RCP Master 4 Web module, which allows the use of the module for 12 months, for 50 employees.

The employee using RCP Master 4 Web can perform many activities on their own without the need to communicate with the HR department, in particular, check the current state of the worked time, view the event log, submit a holiday request or report other types of absence. The RCP Master 4 Web module enables remote T&A events recording, including remote work recording.

The RCP Master 4 Web application provides also a set of functions intended for superiors of various levels (managers, foremen, team leaders, etc.), who thus gain a quick and convenient way of work time and attendance overview within the managed employees group.





Code: RCPM4-WEB-50 SOFTWARE **RCPM4-WEB-50** ROGER

License:	RCP Master 4 Web
Number of employees:	max. 50
Time range:	12 months
Main features:	Overview of the working time Remote registration of T&A events Employee work history Registration of remote work Submitting holiday requests and other types of absence Verifying of the holiday usage Displaying the current status of the attendance of employees (present, absent, on a business trip, etc.) Graphical visualization of employee attendance (attendance list)
Operation:	Web browser
Supported languages:	English, Polish
Manufacturer / Brand:	ROGER

#### $\label{eq:example_problem} \textbf{Example screenshots PL:}$











Code: RCPM4-WEB-50 SOFTWARE **RCPM4-WEB-50** ROGER







#### $Example\ screen shots\ EN:$











Code: RCPM4-WEB-50 SOFTWARE RCPM4-WEB-50 ROGER









**PACKAGE** 

Dimensions (L x W x H): 0x0x0 mm Gross Weight: 0 kg